



PERSONAL PROTECTIVE EQUIPMENT AND WORKWEAR CATALOG 2023

www.alduco-ts.com

INDEX

Calle 3 de Agosto 22, Malabo,
Equatorial Guinea
Tel.: (+240) 333 093 204
E-mail: sales@alduco-ts.com
www.alduco-ts.com



COVID-19 PREVENTION

P. 4-5



HEAD PROTECTION

P. 6-7



EYE & FACE PROTECTION

P. 8-10



HEARING PROTECTION

P. 11



RESPIRATORY PROTECTION

P. 12-13



HAND PROTECTION

P. 14-17



CLOTHING RANGE

P. 18-27



WORK CLOTHING : HEALTH

P. 28



WORK CLOTHING : KITCHEN

P. 29

INDEX



WORK CLOTHING : CLEANING

P. 30



FOOT PROTECTION

P. 31-32



FALL PROTECTION

P. 33-37



EMERGENCY KITS

P. 38



CUTTERS - TORCH LIGHTS

P. 39



BAGS

P. 40



WET FLOOR SIGNS - HAND WIPES

P. 41



PERSONAL FLOTATION DEVICES

P. 42



LIFE RAFTS

P. 43




TRAFFIC & SITE MANAGEMENT

P. 44-45



CHEMICAL, GAS & SMOKE DETECTORS

P. 46



SURGICAL & KN95 MASKS



FACE SHIELDS



DISINFECTANT WIPES



ALCOHOL 500ml



DISINFECTANT CLEANER



HAND DISINFECTANT



**LATEX AND NITRILE
DISPOSABLE GLOVES**



SANITIZER GEL 5L



TYVEK® DISPOSABLE COVERALLS



PROTECTIVE GOGGLES



INFRARED THERMOMETERS



FOG GUN FOR DISINFECTION



PORTABLE UV LAMP STERILIZER



DISINFECTANT NANO MIST SPRAYER



AUTOMATIC GEL DISPENSERS




ANTI VIRUS BADGE

» SAFETY HELMETS

ZIRCON I

ADJUSTABLE


UV-resistant high density polypropylene (PP) safety helmet. Low density (LDPE) polyethylene harness with 8 fixing points. Foam sweat band. Manual adjustment : head sizes 53/63 cm. Orange, Blue, Yellow, Green, Red, White or Grey.



QUARTZ II

ADJUSTABLE


UV-resistant high density polypropylene (PP) safety helmet. Zip tightening lining. Sweat band. Blue, White, & Yellow.



QUARTZ IV

ADJUSTABLE


Ventilated and UV-resistant high density polypropylene (PP) safety helmet. Polyamide harness : 3 textile bands with 8 fixing points. Foam sweat band. Ratchet adjustment : head sizes 53/63 cm. White, Blue, Yellow, Orange, Red or Green.



QUARTZ III

ADJUSTABLE

UV-resistant high density polypropylene (PP) safety helmet. Polyamide harness : 3 textile bands with 8 fixing points. Foam sweat band. Ratchet adjustment : head sizes 53/63 cm. White, Blue, Orange, Red, Yellow or Green.



MSA V-GARD

SOLID "ALL-ROUND" HELMET

The Original V-Gard, most popular style worldwide, >120 millions sold. Reliable, UV stabilised HDPE helmet shell. For many industrial applications the ideal and most economic solution. Antistatic testing according to EN 13463-1. Suitable for use in ATEX environments hazardous zones 1, 2, 20, 21, 22. Economic electrician helmet meeting EN 397 440 V AC and EN 50365. GOST certified (-50°C) Adjustable head band 52 - 64 cm. Blue or White.



» SAFETY HELMETS

ENDURANCE PLUS SAFETY HELMET

WITH CLIP ON EAR PROTECTORS

Featuring a nylon webbing harness, the soft, foam sweatband and extended peak minimise glare. Available in a four point slot, the impact absorbing ABS shell provides protection for penetration and resistant to flame in accordance with EN397. Portwest PPE
Endurance PLUS Safety Helmet PW51
ABS Shell
Resistant to flame.
EN397
Colours: Red, Yellow, Blue, White
Size: Adjustable: 52cm to 62cm



CE
EN397

» SAFETY HELMETS AND VISORS

FORESTRY COMBI KIT

ADJUSTABLE

Forester's type helmet consisting of :
1) QUARTZ3 safety helmet : UV-resistant high density polypropylene (PP). Polyamide harness : 3 textile bands with 8 fixing points. Foam sweat band. Orange.
2) SUZUKA2 : ear defender
3) VISOR Holder : face shield Holder.
4) VISORG : gauze visor




CE
EN397



EN1731



440 VAC



900 g

EN352-3 SNR : 27 dB

» SAFETY GLASSES

CLEAR VIEW SPECTACLE

EN166
1FT
EN170
UV 2C-1,2
ANSI Z87+

EN166
1FT
EN172
UV 5-3,1
ANSI Z87+



Lightweight construction polycarbonate single lens spectacles.
Clear lens, Smoke lens
Ref. PW38-PW



CONTOURED SAFETY SPECTACLE

EN166
1FT
EN170
UV 2C-1,2

EN166
1FT
EN172
UV 5-3,1



Lightweight polycarbonate single lens spectacles.
Adjustable and tilting arms.
Soft PVC nose piece.
Clear Lens, Smoke Lens
Ref. PW31-PW

PAN VIEW SPECTACLE

Sleek and sporty style glasses designed for safety and comfort with a lightweight construction and soft touch temples. The single wrap-around lens offers protection from the sides and front.
Polycarbonate clear or smoke lens.
Anti-scratch & anti-fog coating.
Ref. PW38-PW




CLASSIC SAFETY EYE SCREEN

EN166
1FT
EN170
UV 2C-1,2
ANSI Z87+

EN166
1FT
EN172
UV 5-3,1
ANSI Z87



EN166
1FT
EN170
UV 2C-1,2
ANSI Z87+



Polycarbonate single lens spectacles.
Adjustable and tilting arms.
Clear lens : Ref. KILIMBLIN
Smoke lens : Ref. KILIMNOFU
Clear lens antifog treatment : Ref. KILIMBLINAB-DP



VISITORS

EN166
1FT
EN170
UV 2C-1,2
ANSI Z87+

Clear polycarbonate single lens spectacles.
Direct side ventilation.
Ref. LUCERNEIN100-DP



LEVO SPECTACLE

A hybrid of safety glass and goggle with the comfort of a safety spectacle with the fit and seal of a goggle. The interchangeable foam seal gives added brow and cheek protection. The spectacle can be interchanged with a head adjustable strap or soft rubber temples. Excellent ventilation through indirect vents in the foam attachment which aids in preventing misting and fogging.

Polycarbonate clear or smoke lens.
Anti-scratch & anti-fog coating.
Ref. PW11-PW



with temples

detachable foam back

» SAFETY GOGGLES

CHALLENGER GOGGLE

Clear polycarbonate goggle.
Indirect vents prevent access to liquid and dust particles. The anti-mist coating improves performance for wearing with dust masks and prescription eyewear. Exceptional quality lens. Anti-scratch & anti-mist coating.
Ref. PW22-PW

CE EN166 1F



DIRECT VENT GOGGLE

Designed to be worn in a tough work environment, this goggle provides protection from extreme impact (up to 268mph) with a super-soft polycarbonate frame, housing a crystal clear lens. Anti-scratch & anti-fog coating.
Ref. PW20-PW

CE EN166 3B



» WELDERS SAFETY GLASSES & GOGGLES

GAS WELDING GOGGLE

Using oxyacetylene for gas cutting or welding, these goggles offer high performance with a shade factor 5. A soft comfort frame with flip up lens allows the goggle to be used for grinding operations.

Clear polycarbonate safety lenses.
Anti-scratch & anti-fog coating.
Shade 5
Ref. PW60-PW

CE EN166 EN175 1T



» SAFETY WELDER'S MASKS

CASOUD 800C WELDING HELMET

Welding helmet made of glass fibre reinforced thermoplastic. Fitted with a 3-position adjustable head-fastener with neck-stop rack. Welding helmet and screen filter are sold separately. Slot dimensions: 105x50mm
Color: Red.

CE EN166
EN175



MASOUD 2 WELDING HAND SHIELD

Welders Hand Shield suitable for use with all types of welding that requires shade 11 protection. It has a polypropylene handle with the visor manufactured from polypropylene reinforced with glass fibre. The welders visor is ready to use straight from the box, and comes complete with one DIN111 filter, protected by a clear polycarbonate filter (FILTER-IN).
108x51mm viewing pane.
Spare filters sold separately.
Weight: 354g.
Color: Black

CE EN166 1F EN169 EN175 F

» LENS CLEANING TOWELETTES

PA01

Towelette Dispenser comes completely assembled and ready for use. Manufactured with sturdy corrugated cardboard featuring pull out bottom for easy dispensing and built in tab for hanging. Dispenser holds 100 - 5" x 8" individually packaged lens cleaning towelettes. Anti-Fog. 100 towelettes per box.



» EAR DEFENDERS

SPA3

ADJUSTABLE

Ear defender with polystyrene (PS) and synthetic foam cups. ABS headband, adjustable in height. Low pressure pads. Blue.



EN352-1
SNR : 28 dB



SEPANG2

ADJUSTABLE

Ear defender with ABS and synthetic foam cups. Polycarbonate headband, adjustable in height, padded and flexible. Orange.



EN352-1
SNR : 29 dB



YAS MARINA

ADJUSTABLE

Foldable ear defender with ABS cups. Pads filled with synthetic foam. Double plastic headband (POM), adjustable in height, with soft and ventilated reinforcement for a better comfort. Grey/Yellow



EN352-1
SNR : 32 dB



PIT STOP

ADJUSTABLE

Electronic and foldable ear defender. ABS cups. Coolmax headband, extra comfort. ON/OFF and volume switch button on each cup. Hunting system: amplification system of voices and alarm signals shuts off automatically and reverts to passive earmuff mode, in case of impulsive noise which reaches 80/82 dB : protection against hazardous noises. It works with 6 batteries AAA, not included.



EN352-1
SNR : 26 dB



» EAR PLUGS

REUSABLE TPE EAR PLUG

This reusable ear plug is a market favourite. The low profile design makes them ideal for wearing with helmets and the pre-moulded flange gives an optimal seal in the ear.

Color: orange (Pack of 50)
Ref. EP03-PW



EN352-2
SNR 21 dB



PU FOAM EAR PLUG

Using durable foam that can be moulded to the contour of the ear. Easy to insert and remove. Excellent protection.

Each pair comes in a resealable hygienic polybag.
Color: orange (Pack of 200)
Ref. EP02-PW



EN352-2 SNR 37 dB
ANSI S3.19 32DB




REUSABLE TPE CORDED EAR PLUG

Absorbs more inner ear sounds by use of noise blocking fins. The TPE (thermo plastic elastomer) material moulds to the ear canal after a few minutes by reacting to the warmth so the product fits almost every wearer.

Color: orange (Pack of 50)
Ref. EP04-PW



EN352-2
SNR 21 dB



CORDED PU FOAM EAR PLUG

The comfortable fit of soft foam ear plugs with the convenience of a cord. The tapered shape allows for a comfortable and easy fit in the ear canal.

Each pair is inside a resealable hygienic polybag.
Color: orange (Pack of 200)
Ref. EP08-PW



EN352-2 SNR 37 dB
ANSI S3.19 32DB



» RESPIRATORY MASKS

MERCURE

RUBBER RESPIRATORY MASK

Polycarbonate screen with very wide vision field.
 Inside half-mask to reduce empty space with 2 valves for air circulation to avoid mist.
 Phonic system. Non return valve.
 Five straps headharness with quick-fastening device.
 Shoulder strap to hold the mask when unused.
 Compatible with EN 148-1 Type, M8000 serie cartridges, sold separately.



M9000 FILTERS

M9000 A2
 Kit of 4 A2 filtering cartridges for M9200 and M9300 full face masks
 Black.

M9000 A2P3
 Kit of 4 A2P3 filtering cartridges for M9200 and M9300 full face masks
 Black.

M9000 ABEK2
 Kit of 4 ABEK2 filtering cartridges for M9200 and M9300 full face masks
 Black.

M9000 ABEK2P3
 Kit of 4 ABEK2P3 filtering cartridges for M9200 and M9300 full face masks
 Black.

CE EN14387 EN148-1

M9000 P3
 Kit of 4 P3 filtering cartridges for M9200 and M9300 full face masks
 Black.

CE EN14387 EN148-1 EN143/A1

M6200 JUPITER

COMFORT HALF MASK



CE
 EN140

Thermo-plastic elastomer half mask (TPE).
 Elastic straps. Polyethylene HD bayonet cartridges support.
 To be used with 2 filtering cartridges, M6000 series, sold separately.
 Blue/Grey.

M6000 FILTERS

M6000 A2
 Kit of 2 A2 filtering cartridges for M6200 half-mask. Grey.

M6000 A1B1E1K1
 Kit of 2 A1B1E1K1 filtering cartridges for M6200 half-mask. Grey.

CE EN14387

M6000 P2 R
 Kit of 2 P2 filtering cartridges for M6200 half-mask. Grey.

M6000 P3 R
 Kit of 2 P3 filtering cartridges for M6200 half-mask. Grey.

M6000 PREP3 R
 Kit of 2 P3 filters and 2 adapters for M6200 half-mask. To use with A2 or A1B1E1K1 filters. Grey.

CE EN143/A1

» DISPOSABLE MASKS

*WEL (Workplace Exposure Limit)

DUST MASK

The Dust Mask provides relief from irritation of non-toxic nuisance dusts. Effective against pollen, common household dust and other non-toxic particles, the Dust Mask is non-certified.
Ref. P008-PW (Blister pack of 5)



FFP1 DUST MIST RESPIRATOR

FOR LOW LEVELS OF FINE DUST

Designed for applications involving dust, mists and fibres, it can be used in concentrations of contaminants up to 4 times the WEL*.
Ref. P108-PW (Blister pack of 3)
EN149:2001 + A1:2009

CE



FFP1 VALVED DUST MIST RESPIRATOR

FOR LOW LEVELS OF FINE DUST

Ideal for applications involving dust, mists and fibres, it should be used to protect the wearer from solid, oil and water based aerosols. The exhalation valve device can reduce resistance and expel hot air.
Ref. P101-PW (Pack of 10)
EN149:2001 + A1:2009

CE



FFP2 DUST MIST RESPIRATOR

FOR MODERATE LEVELS OF FINE DUST

Protects against fine toxic dust, fumes and water based mists. The respirator can be used in concentrations of contaminants up to 10 times the WEL*.
Ref. P208-PW (Blister pack of 3)
EN149:2001 + A1:2009

CE



FFP2 VALVED DUST MIST RESPIRATOR

FOR MODERATE LEVELS OF FINE DUST

Protects against fine toxic dust, fumes and water based mists. The respirator can be used in concentrations of contaminants up to 10 times the WEL*.
With exhalation valve device.
Ref. P209-PW (Blister pack of 3)
EN149:2001 + A1:2009

CE



FFP3 VALVED DUST MIST FUME RESPIRATOR

FOR HIGH LEVELS OF FINE DUST

Protects against a high concentration of dust, water based mist and fumes. It can be used in concentrations of contaminants up to 20 times the WEL*.
Ref. P309-PW (Blister pack of 2)
EN149:2001 + A1:2009

CE



» LEATHER GLOVES

CLASSIC DRIVER GLOVE

Tan L/9 - XL/10

A tough hard-wearing glove, made from premium full grain cow leather, proving a longer lasting glove with increased puncture resistance properties.
Ref: A270-PW



EN420 EN388
ANSI/ISEA 105 - 2011
AS/NZS 2161.2, AS/NZS 2161.3



FP159

9/10

American assembling. Pigskin full grain leather gloves with binding at cuff. Buff.



A230 DOUBLE PALM RIGGER GLOVE

10

Canadian pattern gloves. Cowhide split leather. Cotton lining. Reinforcement on palm, thumb and index. Cotton canvas back and cuff. Grey with blue reinforcement.



A210 CANADIAN RIGGER GLOVE

10


Canadian pattern gloves. Cowhide split leather. Cotton canvas back and cuff. Beige.



A500 WELDERS GAUNTLET

10

Welders gloves. American assembling. Heat-resistant cowhide split leather. Palm with cotton fleece lining. 140 mm cuff with cotton lining. Length : 35 cm. Red.



» TEXTILE GLOVES

CP 149

10
Brushed drill cotton lining
270 g/m². PVC dots on
palm, thumb and index.
Knitted wrist.
Beige.

CE



A110 NYLON POLKA DOT GLOVE

10
65% polyester 35% cotton
knitted gloves.
PVC dots on palm.
Gauge 7.
White.

CE



» HIGH IMPACT GLOVES

KONG GLOVES

S/M/L/XL/XXL/XXXL

Back of hand EXO-GUARD™.
4x4 vented knuckle protection.
Duraclad® double stitched palm.
Neoprene cuff.
PVC dots.
100% machine washable.

EN420 EN388



IMPACT GLOVE

Synthetic leather, rubber Gray/Blue M/8 - XL/10

A tough high performance impact glove which ensures total comfort for the wearer. Rubber knuckle protection, padded leather palm protection and a reinforced thumb for the most demanding jobs.
Ref: A720-PW

CE



EN420 EN388
AS/NZS 2161.2, ASNZS 2161.3



» PVC, NITRILE & LATEX GLOVES

VENICLEAN 1340

6/7-7/8-8/9

Powder-free glove: chlorinated latex. Protection of the object as no risk of leaving particles. Suitable for food industry. AQL 1,5. Box of 100 disposable gloves.



CE



EN374-2



EN374-1



ALPHA 905

6,5/7,5/8,5/9,5

Anti-bacterial treatment. Chlorinated inside: easy to put on. Reduced allergies risk. Latex. Length: 30 cm. Thickness: 0.45 mm

CE CAT III



EN388
1,0,1,1



EN374-3
ABK



V1371

Box of 100 disposable gloves. Powdered vinyl. Suitable for food processing. AQL 1.5. Natural. EN 374-2



VE240JA

Yellow domestic latex gloves. EN 388



VENITACTYL 1400

Box of 100 disposable blue color fine Nitrile gloves. Suitable for food industry. Waterproof & airtight. Flexibility, elasticity & tactility. No allergies risk. Protection against chemical products (occasional contact). V1400B100 Powder-free Nitrile V1400PB100 Powdered Nitrile



CE



EN374-2



EN374-3



LA110

10



CE




EN388
2,1,2,1

Dipped glove. Thin roughened latex coating on cotton support. Ventilated back. Yellow.

» PVC, NITRILE & LATEX GLOVES

PVCC400

10
Chemical PVC dipped gloves. PVC coating on jersey cotton support. Thickness : 1,3 mm. Length : 40 cm. Red.



PVC7335

10
Dipped gloves. PVC coating on jersey cotton support. Thickness : 0,9 mm. Length : 35 cm. Red.



PVC7327


10
Dipped gloves. PVC coating on jersey cotton support. Thickness : 0,9 mm. Length : 27 cm. Red.



THERMAL GRIP GLOVE

ACRYLIC, LATEX BK YELLOW XS/6 - XXL/11


Perfect for construction, transportation, refuse collection and maintenance. This glove has a warm acrylic 10 gauge liner and is ideal for more heavy duty, outdoor tasks and working in cold conditions. Ref: A140-PW



NITREX A810

6,5/7,5/8,5/9,5/10,5


Nitrile unsupported glove with cotton flock-lining. Abrasion resistance. Waterproof & airtight. Low sensibility to heat. No allergy risk. Raised pattern texture on palm & fingers: anti-slip. Flocked lining: to absorb perspiration & comfort. Silicone free: for specific users. Length : 33 cm. Thickness : 0,40 mm. Color: Green



A600 CUT 3 NITRILE GRIP GLOVE

8/9/10

A seamless, 10 gauge lining made from DuPont™ Kevlar® with a Nitrile palm coating guaranteeing enhanced cut resistance and superb grip. Ideal for handling glass, metal or other sharp, oily objects.



» DISPOSABLE WORKWEAR

TYVEK® 800 J Hooded Coverall

S/M/L/XL/XXL

Chemical protective clothing, Category III, Type 3-B, 4-B, 5-B and 6-B.

EN 14126 (barrier to infective agents), EN 1073-2 (protection against radioactive contamination).

Antistatic treatment (EN 1149-5) - on inside. Stitched and over-taped seams for protection & strength.

Tyvek® zipper & flap for enhanced protection. Additional taping of cuffs, ankles, hood and zipper flap are required to achieve a type 3 liquid tightness. Face, wrist and ankle elastics for good fit.

Color: white
180g



Tyvek® 800 J
Model CHA5



CAT T3 T4 T5 T6 EN EN EN
III 1073-21149-514126



TYVEK® Classic Xpert Hooded Coverall

S/M/L/XL/XXL/

Category III, Type 5-B and 6-B protection.

Tyvek® fabric with antistatic treatment on both sides. external stitched «smart» seams.

3 piece hood auto-lock zipper and zipper flap.

Elasticated hood, cuffs & ankles, glued-in waist elastic. New ergonomic design offering enhanced fit and full freedom of movement.

Larger zipper puller, new hood design perfectly fitting the contours of the face & sleeves that do not ride up (no need for thumb loops anymore!).

Color: white
300g



Tyvek® Classic Xpert
Model CHF5



CAT T5 T6 EN EN EN
III 1073-21149-514126



DT117

M/L/XL/XXL



Hooded overalls.

Non woven
Deltatek® 5000

(50% polypropylene -
50% polyethylene -

Strong chemicals
resistance). Antistatic.

Resealable storm flap.
Zipper (top and bottom

opening) under flap.
Knitted wrist.

Non linting. Silicon free.
White.

CE EN1073-2 CLASS 1 EN14126

EN13034 TYPE 6-B EN ISO 13982-1 TYPE 5-B EN1149-5

PVC OVERSHOE 0.1mm

PVC overshoe 0.1m
thick.

One size.

Color: white
Ref: D440-PW



DISPOSABLE PE OVERSHOES

Multi-purpose shoe covers
available in a choice of five
distinct colours. The elasticated
ankle strap keeps the cover
securely in place and the sole is
embossed for enhanced grip.

One size fits all wearers.

Colors: white, blue, red,

green, yellow

Ref: D440-PW



» HIGH VISIBILITY RANGE



HI-VIS RAIN JACKET

Made from a durable hard-wearing lightweight polyester fabric with superb abrasion and tear resistance for tough conditions. Interior waterproof PVC coating. Water and stain repellent coating on the outside. Taped seams throughout; anti-wicking fabric at hems and cuffs; good quality zips and strong metal press fasteners. Concealed hood under collar and air vents for underarm ventilation.

Composition:
Fabric: 100% Polyester PVC Coated
190T Plain Weave 170g.
Lining: 100% Polyester mesh 60g.
Sizes: S - XL
Color: Yellow , Orange
Ref: H440-PW



EN471 CLASS 2:1, EN343 CLASS 3:1

HI-VIS VEST

L/XXL

Hi-Vis Vest. Class 2. Fastening with velcro band. Polyester knitted fabric. Parallel assembly band. Fluorescent orange or Fluorescent yellow. Ref: GILP2-DP



HI-VIS COMFORT POLO SHIRT

Lightweight and breathable cotton mix fabric for extra comfort.

Composition: 75% Polyester, 25% Cotton Drop Needle.
Sizes: M - XXL
Color: Yellow. Orange
Ref: S177-PW



HI-VIS RAIN TROUSERS

Made from the same materials as the rain jacket these trousers are lightweight and practical. Elasticated waist. Twin reflective banding. Press stud adjustable ankles.

Composition:
Fabric: 100% Polyester PVC Coated
190T Plain Weave 170g.
Lining: 100% Polyester mesh 60g.
Sizes: S - XL
Color: Yellow , Orange
Ref: H441-PW



HI-VIS POLY-COTTON TROUSERS

Incorporates outstanding details such as multiple pockets, superior stitch quality and generous sizing. Zip front with hook & bar fastening.

Composition:
Fabric: 65% Polyester
35% Cotton
250g.
Sizes: M - XXL
Color: Yellow , Orange
Ref: E041-PW



» RAIN CLOTHING

EN304

RAIN SUIT



Polyester, PVC double coating. Jacket and trousers sold together. Jacket: Sealed seams. Fixed hood. Fastening with zip under press-studs flap. Raglan sleeves. Elasticated waist. 2 pockets. Trousers: Elasticated waist. Fly closed with press-studs. Adjustable bottom of legs with press-studs. 2 hand slits. Size- M /L /XL and XXL. Color-Yellow and Green.



MA305

RAIN SUIT



Polyester, PVC double coating. Sealed seams. Fixed hood. Fastening with double press-studs flap. Raglan sleeves. Elasticated inside wrists. 2 pockets. Length 1.20m. Size- M/L/XL and XXL. Color-Yellow or Green.



» PROTECTIVE APRONS

» CAPS

VERONNO

Twill 65% cotton 245g/m². Cap (matching with MACH range). Color: Black, Blue, Grey, Red.



TABALPV

ONE SIZE

Apron 100% PVC.
Dimensions :
120 cm x 90 cm.
Thickness : 0.30 mm.
White.



» FLAME RETARDANT COVERALLS



MAICO

S/M/L/XL
XXL/3XL/4XL

Overalls with retro reflecting bands 3M Scotchlite. Twill 100% cotton flame retardant 310 g/m². Concealed press-studs fastening. High collar closed by fastening band. Elasticated waist on back. 7 pockets, including 1 ruler pocket. 2 hand slits. Elasticated half cuff. Washing resistance : x 50 at 60°C. Colors: Red, Orange and Blue.



MAICOBM

S/M/L/XL/XXL/3XL/4XL

Overalls. Twill 100% cotton flame retardant 310 g/m². Concealed press-studs fastening. High collar closed by fastening band. Raglans sleeves. Elasticated waist on back. 7 pockets including 1 ruler pocket. 2 hand slits. Elasticated half cuff. Washing resistance : x 50 at 75°C. Color: Navy blue (MAICOBM).



DICKIES FIRECHIEF LIGHTWEIGHT COVERALLS

S/M/L/XL/2XL

High visibility strips, one on each arm and leg and one over each shoulder. Triple stitched seams. Reinforced stress points. Action back. Side elastics. Studded neck closure. Stud adjuster to sleeve cuffs. Concealed heavy duty two-way brass zip. Two covered zipped chest pockets. Side swing access. Two covered back pockets. One pen pocket. One ruler pocket. Regular 30" inside leg. Colors: Red, Blue Orange and Navy. Fabric: Pyrovatex® treated 100% cotton 220gsm. Ref: FR5055-DK



EN ISO 11612: 2008 A1 B1 C1



» FLAME RETARDANT COVERALLS

BULWARK DELUXE COVERALL

CoolTouch® 2 - 5.8 oz

FLAME-RESISTANT, ANTI-STATIC

HRC 1.
 NFPA 2112 Compliant.
 Antistatic.
 One-piece, topstitched, lay-flat collar.
 One-piece bi-swing action back.
 Two-way, concealed, Nomex® taped, brass break-away zipper, concealed snap at top of zipper at neck.
 Concealed snap closure on sleeve cuff.
 Two, two-needle topstitched patch chest pockets with flaps & concealed snap closure.
 Two front swing pockets are topstitched and lined.
 Two patch hip pockets have single concealed snap closure.
 One sleeve pocket sewn to left bicep with pencil stall.
 Rule pocket on right leg.
 Elastic waist inserts in back.
 Protection Arc Rating ATPV 6.5 calories/cm².
 Fabric: (Approx.) 48% Modacrylic / 37% Lyocell / 15% Aramid.
 Colors: Khaki, Grey, Red, Light Blue, Navy.
 Sizes: S/M/L/XL (2 leg lengths)
 Flame resistant fabric 5.8 oz. (200 g/m²)
 Ref: CMD4-BW



PORTWEST SUPER LIGHT WEIGHT ANTI-STATIC COVERALL

210gm, Navy & Orange XS-3XL, Red & Royal S-3XL

This coverall is perfect for the extra warm weather demands of the offshore industry. Constructed with a lighter weight highly innovative flame-retardent twill fabric for welding protection.
 Two back pockets with flaps & studs closure.
 Tab velcro adjustable cuffs.
 Two covered back pockets.
 Sleeve, kneepad & rule pockets.
 Radio loops.
 Colors: Navy, Orange, Royal & Red.
 Fabric: BIZFLAME™ PLUS 99% cotton 1% Carbon Fibres
 Weight: 210g.
 Ref: FR21-PW



EN ISO 11612 A1+A2, B1, C1, F1
 EN1149-5,
 EN ISO 11611 CLASS 1 A1+A2
 GOST-R CERTIFIED



EN 1149 EN 11612 EN ISO 11611 GOST-R

» COVERALLS

COTIG

S/M/L/XL/XXL/3XL/4XL

Overalls.
Polyester cotton 160 g/m².
Elasticated waist.
Double seams.
5 pockets.
Orange, Navy blue
or Royal blue.

CE



M1COM

S/M/L/XL/XXL/3XL

Overalls. Zip fastening under bias.
Elasticated waist at the back.
Wrist with press studs fastening.
Twill 65% polyester
35% cotton 245 g/m².
6 pockets including 1
ruler pocket.
2 hand slits.
Colors: Bugatti Blue &
Marine Blue.



DICKIES SHORT SLEEVE COVERALLS

S/M/L/XL/2XL

Lightweight short sleeved Polyester/
Cotton coveralls. Side elasticsation.
Action back. Concealed 2 way Nylon
zip. 2 chest patch pockets. 2 mitred
back patch pockets, 1 with button
closure. Inside chest pocket. Tunnel
waistband. Side swing pockets, lined
with sail cloth.
Colors: Khaki, Blue and Red
Ref: WD3399-DK



DICKIES LONG SLEEVE COVERALLS

S/M/L/XL/2XL

Lightweight coveralls.
Polyester/Cotton fabric. Concealed
stud front. 2 breast pockets with
studded flaps. 2 swing pockets with
side access. One back patch pocket.
1 ruler pocket. Pen pocket on sleeve.
Full back elasticated waistband.
Regular 30" inside leg.
Colors: Green, Khaki, Blue and Red.
Ref: WD3389-DK



» COVERALLS



VESIN COVERALLS

Shirt collar. Elasticated cuffs and waist.
Central zip with flap pockets. Zip on chest,
Low front and leg gauges. 65% polyester
35% cotton.
Colors: Blue, Green & Grey.
Size: S/M/L/XL
Ref: P0P1-V

» DUNGAREES

VESIN DUNGAREES

65% Polyester 35% Cotton.
Central chest zip and
Lateral leg gauge.
Color: Blue
Size: S/M/L/XL
Ref: P-37-V



» TWO PIECE WORKWEAR

VESIN TWO PIECE WORKWEAR

65% Polyester 35% Cotton.
Jacket and Trouser.
Colors: Blue, Green & Grey
Sizes: S/M/L/XL
Ref: AGPM-V



ALSO AVAILABLE WITH
REFLECTIVE STRIPES



» SHIRTS

DICKIES OXFORD SHIRT

One chest pocket. Button down collar.
Long and short sleeve available.
70% cotton, 30% polyester Oxford.
Weight 135gsm.
Colors: White and Blue.
Size: S/M/L/
Ref. SH64250-DK



PORTWEST OXFORD SHIRT

LONG OR SHORT SLEEVES

Front button placket.
Button down collar.
Top fused collar, cuffs and placket.
Fabric: 70% Cotton, 30% Polyester.
Sizes: Neck 14" - 20"
Colors: Sky Blue, White, Royal.
Weight: 120g
Ref. Short Sleeves S108-PW
Long Sleeves S107-PW



CLASSIC SHIRT

LONG OR SHORT SLEEVES

Chest Pocket.
Front button placket.
Top fused collar & cuffs.
Fabric: 65% Polyester, 35% Cotton.
Sizes: Neck 14" - 20"
Colors: Blue, White
Weight: 100g
Ref. Short Sleeves S104-PW
Long Sleeves S103-PW



PILOT SHIRT

LONG OR SHORT SLEEVES

Front button placket.
Shoulder epaulettes.
Top fused collar and cuffs.
Fabric: 65% Polyester, 35% Cotton.
Sizes: Neck 14" - 20"
Colors: Blue, White,
Weight: 100g
Ref. Short Sleeves S101-PW
Long Sleeves S102-PW



VESIN SHORT SLEEVE SHIRT

2 Chest Pockets with button.
Fabric: Terylene (65% Polyester, 35% Cotton) Poplin.
Sizes: 38 - 54
Colors: Various
Ref. P-29-V



» SHIRTS

UNIFORM SHIRT

CoolTouch® 2 - 5.8 oz

FLAME RESISTANT - ANTI-STATIC

HRC 1.
2112 Compliant.
Antistatic Properties.
Gusset side seam for ease of movement.
Banded topstitched collar.
Two chest pockets with button flap closures and sewn in pencil stall
Placket front with button closure.
Tailored sleeve placket.
Topstitched cuff.
Straight back yoke.
Protection Arc Rating ATPV 6.5 calories/cm².
Flame resistant fabric: 48% Modacrylic / 37% Lyocell / 15% Aramid. 5.8 oz. (200 g/m²)
Colors: Khaki, Grey, Blue
Sizes: S/M/L/XL
Ref: SMU4-BW



» WORK TROUSERS

LEEDS TROUSERS

2 side pockets.
1 jetted hip pocket.
Front waist pleats.
Zip fly.
Hook & bar fastening.
Fabric: 65% Polyester, 35% Cotton.
Sizes: 72 - 116cm
Fittings: Reg, Tall
Colors: Navy, Bottle Green, Epic Grey, Black
Weight: 300g
Ref. S092-PW



MULTIPOCKET TROUSERS

Zip fastening.
Elastic rear waist.
Pockets:
- 2 frontal
- 2 leg military style
- 1 rear
Fabric: 100% Cotton.
Sizes: 38 - 64
Colors: Various
Ref. AGM-41-V



WORK PANT CoolTouch® 2

FLAME RESISTANT

Interlined waistband with button closure.
Two slack style front pockets.
Two set-in hip pockets.
Left hip pocket with button closure.
Flame-resistant fabric: 5.8 oz. (200 g/m²)
Khaki: 48% Modacrylic / 37% Lyocell / 15% Aramid
Navy: 45% Modacrylic / 35% / Lyocell / 20% Aramid
Sizes: 28 - 50
Colors: Khaki, Navy.
Ref. PMW4-BW



» T-SHIRTS

REGULAR T-SHIRT

ADULT SHORT SLEEVE T-SHIRT

Tubular fabric.
 Double stitch on collar, sleeves and bottom.
 Shoulder to shoulder tape.
 Lycra rib neck.
 Fabric: 100% preshrunk cotton
 Weight: white - 155g, Color - 160g
 Colors: Various.
 Sizes: XS/S/M/L/XL/XXL/XXXL
 REF: TSRA150



BK-Black	CH-Chocolate
NY-Navy	BR-Brown
DN-Denim	SA-Sand
RB-Royal Blue	FG-Forest Green
AZ-Azure	BG-Bottle Green
TU-Turquoise	KH-Khaki
PU-Purple	AR-Army
LV-Lavander	KG-Kelly Green
SK-Sky Blue	LM-Lime
IB-Ice Blue	LMF-Lime Fluor
WH-White	PT-Pistachio
BU-Burgundy	SY-Gold
RP-Raspberry	LY-Light Yellow
FU-Fuchsia	BC-Brick
PK-Pink	GF-Graphite
RD-Red	GM-Grey Melange
WR-Warm Red	ZC-Zinc
OR-Orange	AS-Ash Melange
TG-Tangerine	
PH-Peach	

New colors

FUF-Fucsis Fluor
CR-Canary Red
ORF-Orange Fluor
AG-Amazonia Green
LS-Lime Stone
SYF-Gold Fluor



» POLO SHIRTS

REGULAR POLO

ADULT SHORT SLEEVE POLO-SHIRT

Honey-combed fabric .
 Two buttons placket.
 1x1 rib collar and cuffs.
 Side slits.
 Fabric: preshrunk combed cotton
 Weight: 200g - 210g
 Colors: Various.
 Sizes: XS/S/M/L/XL/XXL/XXXL
 REF: PORA200



BK-Black	CH-Chocolate
NY-Navy	SA-Sand
RB-Royal Blue	FG-Forest Green
AZ-Azure	BG-Bottle Green
TU-Turquoise	KH-Khaki
PU-Purple	PG-Pale Green
LV-Lavander	KG-Kelly Green
SK-Sky Blue	LM-Lime
WH-White	SY-Gold
BU-Burgundy	LY-Light Yellow
FU-Fuchsia	GF-Graphite
PK-Pink	GM-Grey Melange
RD-Red	AS-Ash Melange
WR-Warm Red	
OR-Orange	
PH-Peach	



We can print or embroider your company logo or name on to shirts, coveralls, caps, bags, etc.



» UNISEX SANITARY LAB COAT

UNISEX COAT

- Collar with lapels.
- Front opening.
- Button fastening.
- Back belt-adjustment.
- Pockets:
 - 1 chest
 - 2 lower

Composition: Tergal (65% Polyester, 35% Cotton)
Sizes: 48 - 66
Color: White
Ref: BSU-100-V



» UNISEX SANITARY CLOTHING



UNISEX SANITARY JACKET ROUND OR V-NECK COLLAR

Short sleeves, round or v-neck, one chest pocket and two lower patch pockets, with side waist vents.

Composition: 65% Polyester (Sarga), 35% Cotton
Sizes: S - M - L - XL - XXL
Colors: White, Operating Theatre Green & Sky Blue
Ref: CRU-90-V (round neck)
Ref: CPU-91-V (v-neck)

UNISEX SANITARY TROUSERS

Fly with zipper, elastic waist, two front pockets & one rear patch pocket.

Composition: 65% Polyester (Sarga), 35% Cotton
Sizes: S - M - L - XL - XXL
Colors: White, Operating Theatre Green & Sky Blue
Ref: PSU-92-V

» UNISEX COOKS CLOTHING

UNISEX JACKET

Unisex cooks jacket, short or long sleeves, neck-band collar, fastenings with buttons in both directions.

Composition: 65% Polyester (Sarga), 35% Cotton.
Sizes: S - M - L - XL - XXL - XXXL
Color: White
Ref: CC-601-V (short sleeves)
Ref: CC-600-V (long sleeves)



UNISEX TROUSERS

Unisex cooks trousers, two frontal angled pockets, one rear patch pocket, elastic back waistband, fly with zipper.

Composition: 65% Polyester (Sarga), 35% Cotton.
Sizes: 36 - 64
Color: Blue-White (dog-tooth weave)
Ref: PU-602-V

KENT CHEFS JACKET

Designed for hot environments, this short sleeve jacket will keep you feeling cool and looking good. The classic styling offers a range of high quality features including easy care fabric and a handy sleeve. Unisex fit.

Composition: 65% Polyester (Sarga), 35% Cotton.
Sizes: S - XL
Color: Black
Ref: C734-PW



DRAWSTRING TROUSERS

Comfortable lightweight trousers finished with a Texpel coating allowing liquids to roll off thereby protecting from spillages. Features include two side pockets and a fully elasticated waist with drawcord.

Composition:
65% Polyester (Sarga), 35% Cotton.
Sizes: S - XL
Color: Black
Ref: C070-PW



CHEFS HEADWARE

We always stock a selection of different chefs hats and head gear. Including tall hats, caps and bandanas.



» KITCHEN ACCESSORIES

LARGE SQUARE APRON

Made of best quality cotton, suitable for high temperature domestic and industrial washing, this garment will stay white and clean, wash after wash. It ties to the front with an adjustable fastener.

100% Cotton, 280g
Size: W36" X L36"
Color: White
Ref: DSP-604-V



APRON WITH BIB

One-piece apron, adjustable at the neck and waist with tapes.

Composition: 65% Polyester (Sarga), 35% Cotton
Single universal size
Colors: White, Blue, Black
Ref: DP-603-V



WAITERS APRONS

We stock a selection of different aprons in various sizes and colors.



DISPOSABLE BIB APRON

Single use polyethylene bib apron. Suitable for a variety of work environments.

Composition: 100% Polyethylene
Size: 69cm x 107cm
Colors: White, Blue.
Ref: D300-PW



ROUND BOUFFANT CAP




Round mobcap.
Non-woven polypropylene 14 g/m².
Elasticated border
53 cm diameter.
Box of 100.
One size.
White or Blue.
Ref: P0110-DP

MOBCAP WITH VISOR



Mobcap with visor.
Non-woven polypropylene 16 g/m².
Box of 100.
One size.
White or Blue.
Ref: P0112-DP

ADJUSTABLE CAP



Adjustable cap.
Top ventilated paper.
Adjustable head size.
Dispenser box of 100.
White.
Ref: PA200-DP

» FEMALE CLEANING CLOTHING

FEMALE V-NECK JACKET

Short sleeves, with trimmings on the collar, sleeves and pockets, side opening.

Composition: 65% Polyester (Sarga), 35% Cotton
 Sizes: S - M - L - XL - XXL
 Colors: Stripes: White-Pink, White-Green & White-Blue.
 Ref: CFP-93-V



FEMALE SHIRT-COLLAR JACKET

Short sleeves, with trimmings on the collar, sleeves and pockets, side opening, central fastening with buttons.

Composition: 65% Polyester (Sarga), 35% Cotton
 Sizes: S - M - L - XL - XXL
 Colors: Stripes: White-Pink, White-Green & White-Blue
 Ref: CFP-94



ELASTICATED TROUSERS

Elasticated completely around the waist. 2 frontal pockets.

Composition: 65% Polyester (Sarga), 35% Cotton
 Sizes: 2 - 4 - 6 - 8 - 10 - 12
 Colors: Blue, Green
 Ref: PSU-99-V

TROUSERS WITH ELASTIC & ZIP

Zip opening. Elasticated back waist. 2 frontal pockets.

Composition: 65% Polyester (Sarga), 35% Cotton
 Sizes: 2 - 4 - 6 - 8 - 10 - 12
 Colors: Blue, Green
 Ref: PSU-92-V

LADIES GOWN

Women's work coat. Button fastening. Long or short sleeves. Chest pocket & two lowers. Back belt. Cuffs with buttons (on long sleeves)

Composition: Tergal (65% Polyester, 35% Cotton)
 Sizes: 40 - 64
 Colors: White or Sky Blue
 Ref: P3ML-V (long sleeves)
 Ref: P3MC-V (short sleeves)



GOWN & APRON SET

Women's cleaning gown. Button fastening. Short sleeves. Side pocket. Includes white apron with front pocket.

Composition: 65% Polyester (Sarga), 35% Cotton
 Sizes: S - XXL
 Colors: Stripes: White-Pink, White-Green & White-Blue
 Ref: B6300-WT



LADIES STYLED GOWN

Short or long sleeves, one chest pocket & two lowers, frontal fastening with buttons, back with pleats & belt, with trimmings on the collar, cuffs & pockets.

Composition: 65% Polyester (Sarga), 35% Cotton
 Sizes: 40 - 64
 Colors: Stripes: White-Pink, White-Green & White-Blue
 Ref: BFML-96-V (long sleeves)
 Ref: BFMC-97-V (short sleeves)



» HOSPITAL & KITCHEN FOOTWEAR

BASIC OPEN CLOG

NON-SECURITY

Anatomical sole.
Instep protected by
foam to avoid chafing.
Upper: Perforated leather.
Sole: expanded
thermoplastic.
Sizes: various
Colors: White
& Blue.
Ref: 1103-JF



CROCS™ CLASSIC RESIN CLOG

VENTILATED CLOG

Comfortable and lightweight unisex clogs.
Ventilated to drain away water & debris.
Odor resistant.
Slip resistant.
Sizes: various
Colors: White
& Blue.



TOFFELN SAFETY LITE CLOGS

UNISEX SAFETY CLOGS

Made from high-tech S2 breathable material.
Strong, resistant, durable, waterproof.
Safety steel toe-cap.
Oil & slip resistant.
Anti-static soles.
Colors: white or black.



CE

EN 20345 SB

MARSELLA SHOE

NON-SLIP COMFORT

Especially light & comfortable.
Energy absorption in the heel.
Breathable microfibre.
Ridged outer sole.
Securely stitched.
Anti-static.
Oil resistant.
Washable.
Sizes: 34 - 48
Colors: Black, White



CE

Regulations: EN-ISO-20347
Security Level SRC+O1+FO

» SAFETY SHOES & BOOTS

STEELITE KUMO SHOE

Buffalo Water Resistant Leather.
200 Joule steel toe cap.
Steel midsole.
Dual density PU/TPU sole.
Slip resistant & energy absorbent heel.
Size: 38 - 47
EN ISO 20345
Ref. FW43-PW



STEELITE KUMO BOOT

Buffalo Water Resistant Leather.
Slip resistant & energy absorbent heel.
Anti-static, petrol chemical resistance.
Dual density PU/TPU sole.
200 Joule steel toe cap.
Steel midsole.
Size: 38 - 47
EN ISO 20345
Ref. FW23-PW



RED WING RIGGER BOOT

11-INCH PULL-ON

Full Grain, Water-Resistant Velva Boomer Leather.
SuperSole® Welt Construction.
Steel Shank. Oil Resistant Mini Lug SuperSole®.
Rating: ASTM F 2413-05, MI/75. Care: Boot Oil,
Leather Protector.
Size- 39 - 47
Ref. 2231-RW



JALLATTE RIGGER BOOT

Steel toecap, waterproof,
anti-static, absorption of energy,
oil and piece resistant.
Sizes 39 - 47.
Color - Brown
CE EN 345
Ref. SAS-S3-JAL



STEELITE RIGGER BOOT

STEEL TOE & SCUFF CAP

Grey scuff cap protector to the toe, PU/PU
outsole, midsole and anti-static protection
come as standard. Rubber outsole for heat
resistance of up to 300 °C.
Sizes 39 - 46.
Color - Brown, Tan and Black.
EN ISO 20345
Ref. S1P-CI-PW



» RAIN BOOTS

GIGNAC 2 S5 SRC

GREEN SAFETY BOOTS

Upper : Bi-injection PVC.
Lining : Jersey polyester.
Sole : PVC - Nitrile with cleats
- Steel S5. Sizes 39 TO 47



CE

EN ISO 20345



» FULL BODY HARNESS

JANUS07

One color full body harness with work positioning belt (thermoformed back support):

- 3 attachment points (rear - chest - lateral)
- 3 adjusting buckles

Red.



EN 361
EN358



JANUS04

M - ADJUSTABLE

Two-color full body harness with work positioning belt (thermoformed back support):

- 3 attachment points (rear - chest - lateral)
- 5 adjusting buckles
- 1 Karabiner

Grey/Orange.



EN 361
EN358



JANUS02

M/L - ADJUSTABLE

One color full body harness:

- 2 attachment points (rear - chest)
- 2 adjusting buckles.

Red.



EN 361



JANUS03

M - ADJUSTABLE

Two-color full body harness with:

- 2 attachment points (rear - chest)
- 4 adjusting buckles.
- 1 Karabiner

Grey/Orange.



EN 361



» WORK POSITIONING SYSTEMS

JANUS08

M - ADJUSTABLE

Work positioning belt with thermoformed back support:
 • 2 lateral attachment points
 • 1 adjusting buckle
 Back support lining : Terry toweling.
 Red/Black.




EN 358

» LANYARDS

ELARA05

3 strands rope : 2 thimbled loops
 Length 2 m, Ø 12 mm.
 White.



ELARA06

Length 1.50 m.

ELARA07

Length 1 m.



EN 354

» SELF-RETRACTABLE FALL ARRESTER EQUIPMENT

MIMAS20

Webbing self-retractable fall arrester equipment :
 • Lanyard 2.5 m.
 • 1 screw lock karabiner
 Black.



EN 360



MIMAS07

Cable self-retractable fall arrester equipment :
 • ABS plasting casing
 • Steel cable
 • 1 karabiner
 • Length 10 m.
 Horizontal use certified
 Red/Black.

MIMAS08

• Length 15 m.



EN 360




» ENERGY ABSORBER FALL ARRESTERS

MIMAS18

Energy absorber fall arrester with :

- 3 strands rope Ø 12 mm. Length 2 m.
- 1 Karabiner opening 17mm.
- 1 Steel snap hook opening 62 mm.

White.




MIMAS19

Energy absorber fall arrester with :

- One double 3 strands rope (Y) Ø 12 mm.
- Length : 2 m.
- 1 Karabiner opening 17mm.
- 2 Steel snap hooks opening 62 mm.

White.



DOUBLE LANYARD ELASTICATED WITH SHOCK ABSORBER

Polyester Webbing, Hi-Vis Yellow

A double ended elasticated lanyard featuring a shock absorber, two scaffold hooks, a carabiner and made from elasticated polyester webbing. It is 180cm long including connectors when fully extended.

Ref. FP52-PW



» FALL ARRESTERS ON ANCHORAGE LINE

MIMAS01



Sliding fall arrester kit on anchorage line:

- Sliding fall arrester fixed type.
- Anchorage line with 3 strands rope Ø 12 mm. 10 m. Spliced extremity.

White/Black



MIMAS02



Sliding fall arrester kit on anchorage line with 3 strands rope Ø 15 mm:

- Sliding fall arrester opening type, automatic lock, stainless steel, non-inverting device,
- 1 karabiner.

Sold without rope.
White/Steel



MIMAS03



Anchorage line for sliding fall arrester:

- Length 10 m.
- 3 strands rope Ø 15 mm. thimble loop.
- 1 Karabiner

White.

MIMAS04

Length 20 m.



» FALL ARRESTER SAFETY KITS

ELARA13

M - ADJUSTABLE

Ready-for-use restraint working kit:

- harness with 2 attachment points (rear - chest)
- 3 strands rope Ø 12 mm. 1.50 m.
- 2 screw lock karabiners
- 1 storage bag.



CE

EN 362 EN 361 EN 354

ELARA15

M - ADJUSTABLE

Ready-for-use fall arrester kit:

- harness with 2 attachment points (rear - chest)
- sliding fall arrester on anchorage line
- anchorage line with 3 strands rope 10 m
- 1 storage case.



CE

EN 362 EN 361 EN 353-2

» CONNECTORS

ELARA01



Steel karabiner with screw:
Opening 17 mm. R> 22 kN.
Steel.

CE

EN 362

ELARA04



Quarter-turn karabiner: Opening 17 mm.
Automatic lock, R> 25 kN.
Steel.

CE

EN 362

ELARA30



Snap hook: Opening 62 mm.
Automatic lock, R> 20 kN.
Steel.

CE

EN 362

» FIRST AID

HSE COMPLIANT FIRST AID KIT

10 PERSON HSE KIT Ref: FA10-PW
20 PERSON HSE KIT Ref: FA20-PW

Wall-mountable 10 and 20 person HSE compliant first aid kit designed for medium risk workplaces such as offices, warehouses or factories. Contained in a handy robust green box with carrying handle and wall bracket. The dressings are all individually wrapped and sterile.

93/42/EEC



CONTENTS	10 Person	20 Person
Guidance Leaflet	1	1
Washproof Plasters	20	40
Eye Pads	2	4
Triangular Bandages	4	6
Safety Pins	8	12
Medium Dressings	6	9
Large Dressings	2	3
Gloves (Pairs)	1	2
Wipes	10	10
Wall Hanging Bracket	1	1

VEHICLE KIT

Kit supplied in a green, soft compact zip-up case suitable for packing away into small spaces. REF: FA21-PW



BS 8599 2



CONTENTS	FA21
First Aid Guidance Leaflet	1
Contents list	1
Trauma dressing - medium 10 x 18cm	1
Alcohol free moist cleansing wipes 11x7.5cm	5
Sterile adhesive dressings - assorted	5
Nitrile disposable gloves: EN 455 - large (pair)	1
Resuscitation face shield with valve	1
Burn dressing: water-based gel soaked 10x10cm	1
Scissors	1

» EYE WASH KITS

EYEWASH STATION

STANDARD STERILE KIT

Two 500ml bottles of emergency eyewash; a sterile solution of Sodium 0.9 w/v (Normal Saline) in a convenient covered station. REF: ASE000-JSP




» PRO SAFETY CUTTER

PRO SAFETY CUTTER

KN20-PW

Made from metal alloy for toughness and durability, the Pro Safety Cutter is suitable for both right and left handed users. With a top blade control slider and automatic blade retract system, this knife has been designed to ensure your safety.

Fabric: Zinc Alloy & Rubber
Color: Silver-Black



REPLACEMENT BLADES

KN90-PW

Fits the KN10 & KN20 knives. This blade, constructed from carbon steel, has unparalleled sharpness and superior edge retention to ensure perfect cutting every time.

Each blade features two cutting edges.
10 blades per pack
Fabric: Carbon Steel
Color: Silver.



TORCH LIGHTS

» TORCH LIGHTS

SABRELIGHT 2000

SUBMERSIBLE

High-impact polycarbonate lens. Include belt clip, steel ring & lanyard to attach to a pocket, belt or a hand.

Bright laser spot xenon lamp.

Submersible to 150 meters.

Batteries: 3C cell alkaline

Battery burn time: 7.5 hours

Candlepower: 12,000 CP



STEALTHLITE 2450

RECHARGEABLE

Powerful & indestructible flashlight.

Lightweight & attachable to any work helmet.

Bright laser spot xenon lamp.

Battery burn time: 4 hours

3-4 hour charge time

Candlepower: 10,000 CP



HEADSUP LITE 2640

HANDS-FREE

Powerful Halogen/LED combo hands-free flashlight with 3 LEDs for close-up work.

Includes straps for head & hard-hat.

Pivoting head.

Batteries: 4 AA alkaline cells (included)

Battery burn time: Main: 3 hours,

LED: 50 hours.

Candlepower: Main: 10,000 CP, LED: 6,000



WOLFLITE HANDLAMP H-4DCA

INDUSTRIAL

Heavy duty, robust hand lamp with Halogen bulb for industrial use. Explosive gas, vapour and mist certified for zones 1 & 2, up to T4 temperature class.

Dust ignition protected for zones 21 and 22, for dusts with ignition temperatures over 135°C.

CE marked to ATEX Directive.

4 x D cell batteries (excluded)

Battery burn time: 20 hours,

2.4w spot beam (approx 3.5°)

Peak luminous intensity

at 5m 960lux



» BAGS

2 IN 1 TROLLEY BACKPACK

A convertible backpack that offers an alternative to traditional backpack carrying, with the option to carry or wheel. Lightweight yet ultra-tough.

Composition: 100% Polyester 600D Fabric
Black with Red Contrast Panels
Capacity 30 Litres
L50cm x W33cm x D18cm
Ref: B906-PW



MULTI-POCKET TROLLEY BAG

A practical and hardwearing bag, designed to provide a variety of uses, whilst maintaining ease of transport. Telescopic handle. Robust Base Panel. Sturdy in-line wheel system.

Fabric: 100% Polyester 600D
Lining: 100% Polyester 170T PVC Coated Fabric
Black with Red Contrast Panels
Capacity 100 Litres
L60cm x W40cm x D42cm
Ref: B907-PW



MULTI-POCKET TRAVEL BAG

A compact design with spacious interior, the Multi-Pocket Travel Bag offers a generous packing solution combined with a high degree of versatility. Telescopic handle. Robust Base Panel. Sturdy in-line wheel system.

Fabric: 100% Polyester 600D
Lining: 100% Polyester 170T PVC Coated Fabric
Black with Red Contrast Panels
Capacity 70 Litres
L73cm x W33cm x D29cm
Ref: B908-PW



TRAVEL and HOLDALL BAGS

Nylon PVC Coated 520g. Navy

B903 L48 x W23 x H32
Capacity 35 Litres

B900 L68 x W25 x H39
Capacity 65 Litres

Ref. B903-PW
BP00-PW



MULTIPURPOSE RUCKSACK

Tough lightweight construction. Padded shoulder straps & back. Two main compartments. Padded laptop sleeve. Material: Polyamide. Dimensions: 40 x 33 x 24 cm



» WET FLOOR SIGNS

Various types, sizes and colors.



HAND WIPES

» HAND WIPES

HEAVY DUTY HAND WIPES

Heavy duty wipes to quickly and effectively remove oil, grease, grime and wet paint. The textured material is designed to remove ingrained dirt. Antibacterial action and dermatologically tested.

Meltblown Textured Fabric Orange 260mm x 220mm.
50 Wipes
EN 12054, EN 1276
Ref: IW30-PW



» LIFE JACKETS & FLOTATION DEVICES

INFLATABLE LIFE JACKET

Portable Flotation Device. It can be easily inflated manually (by blowing into the tube) or automatically (by pulling the toggle).
EN 396



RE-ARMING KIT

Automatic Life Jacket Kit. Includes 33g CO2 gas cylinder, soluble bobbin and locking clips. To be used with LJ10.
EN 396



LIFE BUOY RING

Material: Polyethylene outer skin and polyurethane foam inner core.
Outside Material: HDPE
Inside Material: Hard PU
Approval: CCS/ EC
Outer diameter: : 71cm
Inner diameter: 44cm
Height: 10.5cm
Weight: 4.3KG
Ref: LBR-100



SOLAS MARINE LIFE JACKET

For sea-going ships & offshore installations. Light, tough and durable with strong flotation.
Materials: EPS foam board inside a Lycra pouch. Neoprene fabric cover.
Size: 68.5cm x 50cm
Buoyancy: 147N
Approved: CCS & 96/98/EC
Model No: RSCY-A6



MARINE WORK LIFE JACKET

For workers on ships, marine facilities & oil platforms. Will not absorb water even if cut or punctured.
Strong & comfortable, easy to clean.
Materials: high quality PVC.
Size: Adjustable
Buoyancy: 150N
Standard: JT/T107-1991
Approved: CCS
Model No: RSGY-2



» SOLAS LIFE RAFTS

SOLAS RESCUE LIFE RAFT D SERIES

DAVIT-LAUNCHING LIFE RAFT

Capacity: 15, 16, 20, 25 persons

The life-raft can be inflated and opened automatically.

If the ship sinks very fast and the life-raft cannot be thrown-over, the raft can still be inflated and opened automatically using the Hydrostatic Release Unit.

Approved: CCS/EC



SOLAS LIFE RAFT A SERIES

THROWING TYPE

Capacity: 6, 10, 12, 15, 16, 20, 25

Max store height: 30M

Suitable for installing ships on international voyages.

Product Standard: It meets the requirements of Regulations for the Statutory Surveys of Ships Offshore Installations Technical Regulations for the Statutory Surveys of Sea-going Ships Engaged on International Voyages(1999) of P.R.C And SOLAS 74/96 Amendment, MSC.81(70), Life-saving appliance(LSA), HSC, 2000 Sea Fishing Bessels Safe Rules, testing of life-saving appliances.

Equipment Outfit: A Pack or B Pack (Ships engaged on Short international voyage).



» BARRIERS / FENCING

TITAN BARRIER

1.5 & 2M



6mm chain

WHITE/RED (25m pack)



TRAFFIC CONE CHAIN HOLDER

1.5 & 2M



FOLDING BARRIER SYSTEM

0.75M X4



» SIGNS

WARNING TRIANGLE

BREAKDOWN & RESCUE



ROADWORKS

PORTACONE



» CONES

TRAFFIC CONES

VARIOUS MAKES



» FLASHING LIGHTS



MAXILITE LED

STATIC OR FLASHING

Dual function lamp - bright, versatile & long lasting.
Practical moulded carry handle to aid transporting and siting.
The lens surround swivels giving 360° vision.
Static or Flashing Dual function photocell operation.
Allen key for bolt assembly and mode operation.
Can be fixed to barriers or to cones using the cone/lamp bracket
(Bracket sold separately)
Energy saving LED bulbs to enhance battery life.

EN12352 & BS3143-2

» TAPE



WARNING TAPE

VARIOS



ZEBRA TAPE

RED/WHITE
YELLOW/BLACK



» SMOKE DETECTORS

STAND ALONE SMOKE DETECTOR

PHOTOELECTRIC 10 YEAR LITHIUM BATTERY

Low-power consumption design, 10 years 3V lithium battery.
 Test and hush button function in 626 smoke detector.
 High-reliability infrared photoelectric smoke sensor.
 MCU processing, eliminate false alarm.
 SMT manufacture technology, good stability.
 Shock-proof design, suitable for vehicle use.
 Dust-proof, moth-proof, anti-light interference design.
 Low-battery warning.
 Anti-RFI (20V/m-1GHz)




HM-625PHS HM-626PHS



EN14604:2005/AC:2008

PORTABLE CARBON MONOXIDE DETECTOR

GSI Super Quality Portable Carbon Monoxide Detector Meter With Built In Danger Alert - Highly Accurate Instant Measurements - LCD Display - For Home And Professional Use.



» CHEMICAL & GAS DETECTORS

CROWCON GAS-PRO PID

PERSONAL 5 GAS DETECTOR WITH PID TECHNOLOGY

Gas-Pro PID protects against Volatile Organic Compounds (VOC) using the Photo Ionization Detection (PID) technology. With an optional pump, Gas-Pro PID offers detection of up to 5 gases in a compact and rugged unit capable of withstanding harsh environments and everyday use.

Easy to use, one button operation.
 Ergonomically designed.
 PID correction factor.
 Water and dust resistant to IP65 and IP66.
 Bump and calibration reminders.
 +ve Safety™ tri-color status indication.
 Unmissable alarm indication;
 vibrating, audible >95dB at 30cm (loud mode)
 and high visibility red/blue LEDs.



BW GasAlert EXTREME

The BW GasAlert Extreme single gas instrument is both compact and affordable. It has a multi-button operation and replaceable sensors and batteries, offering increased longevity.




Don't leave home without putting on a mask



**COVID-19
carrier**

**Probability
of contagion**



USE IT ALWAYS!

Calle 3 de Agosto 22, Malabo
Tel: 333 093204 • www.alduco-ts.com





Calle 3 de Agosto 22, Malabo,
Equatorial Guinea
Tel.: (+240) 333 093204
E-mail: sales@alduco-ts.com
www.alduco-ts.com